

# DokuWiki customizations for FIXES

## Changelog setting

Our setting for changelog under [FIXES changelog](#) looks like this:

```
<WRAP >
{{changes>count = 1000 & type = create, edit, minor & render =
list(dayheaders, signature, summary)}}
</WRAP>
```

## Change height of editor window

To set a custom default height of the editor windows of [DokuWiki](#) create a file named `userscript.js` under `conf/` of the [DokuWiki](#) base directory. Then add this content:

```
jQuery(function() {
  jQuery('#wiki__text').height('600px');
});
```

Remind to set the accurate permissions on this file so that the `httpd` can read it! Otherwise your custom set default height will not work!

## URL-Rewriting

To make the URL look more fancy, you can use URL-rewriting. Our configuration for this wiki looks like this:

1. Edit `conf/local.php` and add the following line:

```
$conf['userrewrite'] = 1;
```

`userrewrite` can have this values:

Value	Description	Example URL
0	Kein URL Rewriting. Dies ist die Standardeinstellung.	<a href="http://example.com/dokuwiki/doku.php?id=wiki:syntax">http://example.com/dokuwiki/doku.php?id=wiki:syntax</a>
1	Rewriting wird vom Webserver durchgeführt.	<a href="http://example.com/dokuwiki/wiki:syntax">http://example.com/dokuwiki/wiki:syntax</a>
2	Rewriting wird von <a href="#">DokuWiki</a> durchgeführt.	<a href="http://example.com/dokuwiki/doku.php/wiki:syntax">http://example.com/dokuwiki/doku.php/wiki:syntax</a>

2. Then edit your `apache2/httpd` config (`httpd.conf` or `apache2.conf`) to load the required

module:

**httpd.conf:** Add this line:

```
LoadModule rewrite_module modules/mod_rewrite.so
```

**apache2.conf:** Execute this command to enable the module:

```
a2enmod rewrite
```

**3.** Edit your virtual host config: Change the line beginning with `AllowOverride` to `AllowOverride All`.

**4.** Then copy the `.htaccess.dist` from the dokuwiki base directory to `.htaccess`. Then uncomment the following lines:

```
RewriteEngine on

RewriteRule ^_media/(.*) lib/exe/fetch.php?media=$1 [QSA,L]
RewriteRule ^_detail/(.*) lib/exe/detail.php?media=$1 [QSA,L]
RewriteRule ^_export/([^/]+)/(.*) doku.php?do=export_<math>\$1\&id=\$2 [QSA,L]
RewriteRule ^$ doku.php [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule (.*> doku.php?id=$1 [QSA,L]
RewriteRule ^index.php$ doku.php
```

**5.** Finally restart apache or httpd.

From:

<http://fixes.brecht-schule.hamburg/> - Fixes | Public BIT Wiki

Permanent link:

<http://fixes.brecht-schule.hamburg/about/dokuwiki?rev=1685650786>

Last update: **2023/06/01 22:19**

