

# Python

## Snippet list

### Edit file

The following functions can be used to edit any provided file. In the selected file a string can be searched that can then be replaced with a given string.

### Edit a file with python

[Show/Hide](#)

```
# search file for string
def searchLineWithString(self, string, file):
    for num, line in enumerate(file, 1):
        if string in line:
            return num - 1

# edit line dependend on provided parameter
def editLine(self, file, searchString, newLine):
    selectedFile = open(file, "r")
    readSelectedFile = selectedFile.readlines()
    selectedFile.close()
    # find specific line
    lineToEdit = searchLineWithString(self, searchString, readSelectedFile)
    # edit required line
    readSelectedFile[lineToEdit] = newLine

# write lines to files
    selectedFile = open(file, "w")
    selectedFile.writelines(readSelectedFile)
    selectedFile.close()
```

### Send mail

The following functions can be used to emails from python.

### Send mails with python

[Show/Hide](#)

```
EMAILRECEIVER = ""
EMAILSENDER = ""
MAILSERVER = ""
MAILSERVERPORT = ""
EMAILSENDER = ""

def buildMail(self):
    mailText = ""
    # build your mail here string by string (mailText += "")
    return mailText

def sendMail(self, hosts, awakeList, failedList, statusUnknownList):
    if EMAILRECEIVER and EMAILSENDER and MAILSERVER and MAILSERVERPORT:
        import smtplib
        from email.mime.multipart import MIMEMultipart
        from email.mime.text import MIMEText
        from email.header import Header

        smtp = smtplib.SMTP()
        smtp.connect(MAILSERVER, MAILSERVERPORT)
        # define subject here
        subject = ""
        msgRoot = MIMEMultipart("alternative")
        msgRoot['Subject'] = Header(subject, "utf-8")
        msgRoot['From'] = "wolserver <" + EMAILSENDER + ">"
        msgRoot['To'] = EMAILRECEIVER
        mailContent = MIMEText(wakeup.buildMail(self))
        mailText = MIMEText(mailContent, "plain", "utf-8")
        msgRoot.attach(mailText)
        try:
            smtp.sendmail(EMAILSENDER, EMAILRECEIVER,
msgRoot.as_string())
        except:
            print(self, "Failed to send mail to " + EMAILRECEIVER + " |
Check your settings!")
            print(traceback.format_exc())

    else:
        print(self, "Mailing disabled or not configured properly.")
```

## Send mails with python using AUTH

[Show/Hide](#)

Sourced from: [stackoverflow.com](https://stackoverflow.com) - Python Email

From:

<http://fixes.brecht-schule.hamburg/> - **Fixes | Public BIT Wiki**

Permanent link:

<http://fixes.brecht-schule.hamburg/development/python?rev=1690834135>

Last update: **2023/07/31 22:08**

