

Send output of command via email with sendmail

This guide shows how to configure a script to send its output via email. Thereby that the MAILTO= setting in crontabs is global, it's not that easy to send an email to a different address from another crontab files. This function/script can be used to send the output of a crontab to a different address:

/path/to/script

```
#!/bin/bash
RECIPIENT=user@example.com

SCRIPT_DIR=$( cd -- "$( dirname -- "${BASH_SOURCE[0]}" )" && /dev/null &&
pwd )
SCRIPT_NAME=$(basename "$0")
SENDER=root@$(/bin/hostname)

crontab () {
    echo "MIME-Version: 1.0"
    echo "Content-Type: text/plain; charset=\"UTF-8\""
    echo "From: $SENDER"
    echo "Subject: <$SENDER> $SCRIPT_DIR/$SCRIPT_NAME "
    echo "To: $RECIPIENT"

    # Commands to be run here

    echo ""
    echo "Script location: $SCRIPT_DIR/$SCRIPT_NAME"
}

crontab | sendmail -t $RECIPIENT
```

From:
<http://fixes.brecht-schule.hamburg/> - Fixes | Public BIT Wiki

Permanent link:
<http://fixes.brecht-schule.hamburg/linux/linux-tutorials/send-command-output-via-email>

Last update: 2025/09/08 18:09

