Send output of command via email with sendmail

This guide shows how to configure a script to send it's output via email. Thereby that the `MAILTO=` setting in crontabs is global, it's not that easy to send an email to a different address from another crontab files. This function/script can be used to send the output of a crontab to a different address:

/path/to/script

```
#!/bin/bash
RECIPIENT=user@example.com

SCRIPT_DIR=$( cd -- "$( dirname -- "${BASH_SOURCE[0]}" )" &> /dev/null &&
pwd )
SCRIPT_NAME=$(basename "$0")
SENDER=root@$(/bin/hostname)

crontab () {
        echo "Content-Type: text/plain; charset=UTF-8"
        echo "From: $SENDER"
        echo "Subject: <$SENDER> $SCRIPT_DIR/$SCRIPT_NAME "
        echo "To: $RECIPIENT"

    # Commands to be run here

        echo ""
        echo "Script location: $SCRIPT_DIR/$SCRIPT_NAME"
}

crontab | sendmail -t $RECIPIENT
```

From:
http://fixes.brecht-schule.hamburg/ - **Fixes | Public BIT Wiki**

Permanent link:
http://fixes.brecht-schule.hamburg/linux/linux-tutorials/send-command-output-via-email?rev=1757344288

Last update: **2026/09/27 19:04**